



Berlin Group NextGenPSD2

Changelog

PSD2 Compliance Berlin Group - Changelog

1.9.0

- PSD2 Compliance Berlin Group - Changelog
 - Introduction
 - Account Information Service - AIS
 - Payment Initiation Service - PIS
 - Confirmation of Funds Service - PIIS
 - Signing Basket Service - SBM
 - Signing Request with QSealC - AIS/PIS/CBP/II/SBM

Introduction

The new version published is in accordance with the international Berlin Group NextGenPSD2 standard, version 1.3. This version contains the feature related to the sub-resource consent and resource payment initiation.

Please note that the version in the URL will not change, the "v1" will be kept in all existing URL's.

Account Information Service - AIS

The following changes have been done for the AIS flow:

- Enable the support for "one-off" consent : the field `recurringIndicator` can also be used with the value **false**.

Endpoints

The below endpoint is affected:

- **POST /consents**

Payment Initiation Service - PIS

The following changes have been done for the PIS flow:

- Modification in structure of field "**creditorAddress**" in the payment request. Fields "city", "postalCode" and "street" are deprecated and will be removed in future release. The previous and new versions are as follows-
 - Previous version (will be deprecated in the next version)

```
{
  "buildingNumber" : "",
  "city" : "",
  "postalCode" : "",
  "country" : "",
  "street" : ""
}
```

- New version

```
{
  "streetName" : "",
  "buildingNumber" : "",
  "townName" : "",
  "postCode" : "",
  "country" : ""
}
```

- Correction has been done in "executionRule" for standing order. Updated value is **preceding** now which was earlier **preceeding** (both version are supported on this version).

Endpoints

The below endpoints are affected:

- POST /payments/{payment-product}
- POST /periodic-payments/{payment-product}
- GET /payments/{payment-product}/{paymentId}
- GET /periodic-payments/{payment-product}/{paymentId}
- DELETE /payments/{payment-product}/{paymentId}

Confirmation of Funds Service - PIIS

The following changes have been done for the **PIIS** flow:

- Support for version 2.0 of the international Berlin Group NextGenPSD2 standard (for compatibility, the value "v1" is kept).
 - Addition of new fields `cardExpiryDate`, `cardInformation` and `registrationInformation` in the resource "**consents/confirmation-of-funds**".
 - Deprecated support for field `validUntil` with new corresponding field `cardExpiryDate`: both can't be used at the same time.

Endpoints

The below endpoints are affected:

- **POST /consents/confirmation-of-funds**
- **GET /consents/confirmation-of-funds/{consentId}**

Signing Basket Service - SBM

The following changes have been done for the SBM flow:

- Support for SCA selection by PSU has been given (if several methods are available).

Endpoints

The below endpoint has been added:

- **PUT /signing-baskets/{basketId}/authorisations/{authorisationId}**

Signing Request with QSealC - AIS/PIS/PIIS/SBM

The structure of error message for the customer authorisation/authentication calls is now in accordance with the RFC 6750 and RFC 6749.

Error response :

```
{  
  "error": "invalid_request",  
  "error_description": "Invalid authorization code; authorization code not found"  
}
```

Endpoints

The below endpoint is affected:

- **POST /token**